

RESOLUTION NO. 22-4

AMENDING CHAPTER 3.01(7) & (17) OF THE OZAUKEE COUNTY POLICY AND PROCEDURE MANUAL - POSITIONS & PAY GRADES: PUBLIC HEALTH; SHERIFF'S OFFICE

RESOLVED, by the Ozaukee County Board of Supervisors, that Section 3.01 (7) and (17) of the Ozaukee County Policy and Procedure Manual be amended to read:

3.01	POSITIONS AND PAY GRADES				
	POSITION	GRADE	UNION	HOURS	#
7	<u>PUBLIC HEALTH</u>				
	<u>Deputy Health Officer</u>	<u>112</u>	<u>NON REP</u>	<u>40.00</u>	<u>1</u>
	Community Health Director	110	NON REP	40.00	1
	Health Strategy Director	110	NON REP	40.00	1
17	<u>SHERIFF</u>				
	<u>School Resource Officer</u>	<u>NA</u>	<u>LAW 1-07</u>	<u>40.00</u>	<u>1</u>
	Dispatcher*	8	OPEIU	40	20

*Any Dispatcher acting as shift leader shall receive an additional one dollar (\$1.00) per hour more.

* 3rd shift Dispatchers shall receive an additional one dollar (\$1.00) per hour more.

FURTHER RESOLVED, that these changes shall take effect June 1, 2022; and

FURTHER RESOLVED, that Chapter 3.01(7) & (17) of the Policy & Procedure Manual be amended to reflect the personnel changes and department totals to be adjusted accordingly.

Dated at Port Washington, Wisconsin this 1st day of June 2022.

SUMMARY: Section 3.01(7) & (17) of the Ozaukee County Policy and Procedure Manual pertaining to Public Health and Sheriff's Office positions is amended.

VOTE REQUIRED: Majority

FINANCE COMMITTEE

RESULT: APPROVED [UNANIMOUS]

MOVER: T. Winker, Supervisor District 1

SECONDER: D. Larson, Vice-Chairperson

AYES: Melotik, Larson, Winker, Stelter, Hagen

RES. 22-4

Amending Chapter 3.01(7) & (17) of the Ozaukee County Policy and Procedure Manual - Positions & Pay Grades: Public Health; Sheriff's Office

 **Passed By Majority Vote**

Winker		YES
Haas	S	YES
Jobs		YES
Schlenvogt		YES
Clark		YES
Nelson	M	YES
Matera		YES
Larson		YES
Grabow		YES
Melotik		YES
Wolf		YES
Richart		YES
Hagen		YES

Rishel		YES
Maguire		YES
Whitworth		YES
Irish		EXCUSED
Stelter		YES
Ross		YES
Godden		YES
Strom		YES
Holyoke		YES
Schoessow		YES
Krane		EXCUSED
Watts		YES
Foy		YES