

ORDINANCE NO. 22-9

AMENDING SECTION 9.024 (7) OF THE OZAUKEE COUNTY CODE OF ORDINANCES -
SANITARY PERMIT FEES

An Ordinance amending Section 9.024 (7) of the Ozaukee County Code of Ordinances pertaining to Sanitary Permit, License, and Fees

The County Board of Supervisors of the County of Ozaukee does ordain that Section 9.024 (7) of the Ozaukee County Code of Ordinances be amended as follows:

9.024 Sanitary Permit, License, and Fees

(7) Fees.

Unless otherwise indicated, all fees are non-refundable. In order to be eligible for a refund of fees, the applicant must submit to this department, a written request to withdraw their Application, within two (2) business days of receipt.

(a) Sanitary Permit Application Fees (Includes State Groundwater Surcharge)

| | | |
|-----------------|---|---|
| 1. | Conventional Gravity Systems | |
| a. | Gravity Feed Conventional | \$475.00 <u>600.00</u> |
| b. | Pump/Siphon Conventional w/ Passive Pretreatment | \$475.00 <u>725.00</u> |
| c. | <u>At-Grade</u> | <u>\$725.00</u> |
| d. | <u>Mound w/ Passive Pretreatment</u> | <u>\$850.00</u> |
| 2. | In-Ground Pressurized Systems (At-Grade / IGP / Mound) | \$625.00 |
| a. | <u>Pressurized Systems</u> | <u>\$1000.00</u> |
| b. | <u>Pressurized Systems (With Pretreatment)</u> | <u>\$1125.00</u> |
| 3. | At-Grade | \$725.00 |
| 4. | Mound | \$725.00 |
| 5 3. | Holding Tank | \$725.00 <u>1000.00</u> |
| 6 4. | Large Scale POWTS, Per 100 Gallons of Design Rate (>3000GPD) | \$125.00 <u>60.00</u> |
| 7 5. | Privy Non-Plumbing Systems | \$345.00 <u>460.00</u> |
| 8 6. | Septic Tank/Pump Chamber Addition / Replacement (Includes Effluent Filter) | |
| | | 50% of the Sanitary Permit Fee for that system or \$300.00, whichever is less: <u>\$500.00</u> |
| 9. | Repair to POWTS and/or associated tank(s) | \$300.00 |
| 10. | Installation of an additional Treatment Tank only | \$300.00 |
| 7. | <u>Pretreatment Unit (addition to existing system)</u> | <u>\$225.00</u> |
| 8. | <u>Effluent Filter (addition to existing system)</u> | <u>\$120.00</u> |

| | |
|---|--------------------------|
| (b) POWTS Plan Review Fees | |
| 1. Conventional System | \$250.00 |
| 2. In-Ground Pressure | \$250.00 |
| 3. At Grade | \$250.00 |
| 4. Mound | \$250.00 |
| 5. Holding Tank | \$90.00 |
| 6. Plan Revision | \$75.00 85.00 |
| 7. <u>Miscellaneous Review</u> | <u>\$80.00</u> |
| (c) Reconnection <u>County Sanitary Permit Application Fees</u> | \$200.00 |
| 1. <u>Sanitary Permit Renewal</u> | <u>\$110.00</u> |
| 2. <u>Permit Transfer to New Owner</u> | <u>\$110.00</u> |
| 3. <u>POWTS Repair</u> | <u>\$200.00</u> |
| 4. <u>POWTS Reconnection</u> | <u>\$200.00</u> |
| 5. <u>POWTS Abandonment</u> | <u>\$100.00</u> |
| (d) POWTS Abandonment <u>Service Fees</u> | \$100.00 |
| 1. <u>Return/Premise Inspection</u> | |
| a. <u>First</u> | <u>\$35.00</u> |
| b. <u>Second and Subsequent</u> | <u>\$70.00</u> |
| 2. <u>On-Site Soil Evaluation and Verification</u> | |
| a. <u>Subdivision (per proposed lot)</u> | <u>\$150.00</u> |
| b. <u>Individual Property</u> | <u>\$200.00</u> |
| 3. <u>POWTS Evaluation/Certification</u> | <u>\$100.00</u> |
| 4. <u>POWTS Dye Test</u> | <u>\$200.00</u> |
| 5. <u>One-time Electronic Reporting Service Fee</u> | |
| a. <u>POWTS Holding Components</u> | <u>\$90.00</u> |
| b. <u>All Other POWTS</u> | <u>\$45.00</u> |
| (e) Transfer of Sanitary Permit <u>POWTS Administration Fees</u> | \$50.00 |
| 1. <u>Appeal (proceeding under Section 9.011(3)(a))</u> | <u>\$275.00</u> |
| 2. <u>Sanitary Ordinance Amendment Request</u> | <u>\$375.00</u> |
| 3. <u>Wisconsin Fund Application Fee (if the application is</u> | <u>\$150.00</u> |
| <u>denied by state review, \$75.00 will be refunded to the applicant)</u> | |
| (f) First Return/Premise Inspection | \$35.00 |
| Second and Subsequent Return/Premise Inspection | \$70.00 |
| (g) Groundwater Monitoring (per inspection site) | \$50.00 |
| (h) Subdivision Soil Verification (per hour or part thereof) | \$50.00 |

| | |
|---|---------------------|
| (i) Subdivision Groundwater Monitoring (per lot) | \$50.00 |
| (j) POWTS Evaluation/Certification | \$65.00 |
| (k) On-Site Soil Evaluation and Verification | \$50.00 |
| (l) POWTS Dye Test | \$65.00 |
| (m) Appeal (proceeding under Section 9.011(3)(a)) | \$125.00 |
| (n) Wisconsin Fund Application Fee (if the application is denied by state review, \$75.00 will be refunded to the applicant) | \$150.00 |
| (o) Formaldehyde testing (per test, subject to availability) | \$100.00 |
| (p) Renewal of Sanitary Permit | \$100.00 |
| (q) Sanitary Ordinance Amendment Request | \$375.00 |
| (r) One-time Electronic Reporting Service Fee | |
| 1. POWTS Holding Components | \$90.00 |
| 2. All Other POWTS | \$45.00 |

This Ordinance shall take effect upon enactment and publication.

Dated at Port Washington, Wisconsin, this 1st day of March 2023.

SUMMARY: Amending Section 9.04 (7) of the Ozaukee County Code of Ordinances pertaining to Sanitary Permit Fees.

VOTE REQUIRED: Majority

NATURAL RESOURCES COMMITTEE

RESULT: POSTPONED [UNANIMOUS]

Next: 2/2/2023 9:00 AM

MOVER: T. Matera, Supervisor District 7

SECONDER: B. Jobs, Vice-Chairperson

AYES: R. Holyoke, B. Jobs, T. Matera, K. Schoessow

EXCUSED: B. Ross

NATURAL RESOURCES COMMITTEE

RESULT: APPROVED [UNANIMOUS]

MOVER: B. Ross, Supervisor District 19

SECONDER: T. Matera, Supervisor District 7

AYES: Holyoke, Jobs, Ross, Matera, Schoessow

Lee Schlenvogt

CHAIRPERSON - COUNTY BOARD

Ordinance 22-9

Amending Section 9.024 (7) of the Ozaukee County Code of Ordinances - Sanitary Permit Fees

Passed By Majority Vote

| | | | | | |
|------------|--|-----|-----------|---|---------|
| Winker | | YES | Rishel | | EXCUSED |
| Haas | | YES | Maguire | | NO |
| Jobs | | YES | Whitworth | | YES |
| Schlenvogt | | YES | Irish | | EXCUSED |
| Clark | | YES | Stelter | | YES |
| Nelson | | YES | Ross | M | YES |
| Matera | | YES | Godden | | YES |
| Larson | | NO | Strom | | EXCUSED |
| Grabow | | YES | Holyoke | S | YES |
| Melotik | | NO | Schoessow | | NO |
| Wolf | | YES | Krane | | EXCUSED |
| Richart | | YES | Watts | | YES |
| Hagen | | NO | Foy | | YES |

